MODEL


P33-4710-7S-T2F6G-V


TEST NO. 1632


1.5NPT FLOODED SUCTION


PUMP DATA	
MAX FLOW	72
MAX HEAD	72.9
MAX POWER	974
IMPELLER	CN3/4
TRIM	4.71

MOTOR DATA	
MOTOR NUMBER	CPM-424
HP	1
ENCLOSURE	TEFC
RPM	3435
VOLTAGE	230/460
CURRENT	3.0/1.5
PHASE	3
FREQUENCY	60
FRAME	56J (Jet Pump)




16 MAX
1.5 NPT Port
2.14
5.82
3.00
.34
3.94
7.72
7.65
3.50
2.75
10.32
1.5 NPT
1.5 IN FLOODED SUCTION
TEFC
1:5
5/12/26
C TJ4NPS
PerformancePro
PROUDLY BUILT IN THE USA SINCE 2000 PUMPS
Greg Gent


1 HP 0 2 Po le s 6 0 Hz
A
Sca le 2 : 7
SUMMARY OF MODIFICATIONS
THREE PH. MOTOR ROL L ED STEEL JET PUMP THREADED
FRAME W5 6 J P5 5 TEFC
HYBRISUSER
EXECUTED
CHECKED
REL EASED
DATE
VER
0 0
ECM
L OC
EXECUTED
CHECKED
REL EASED
REL. DATE
PRE V IE W
WDD 00
SHEET 1 / 1
A 3
Dime n sio n s in ch e s
Slin g e r (Ro ta tin g Se a l
De ta il X
Gro u n d in g 0 .5 6 mm² / 2 0 AWG
Ma in te rmin a l b o x
Dra in h o le
Dra in h o le
EUNF 1 /4 "-2 8 WEG WPR-7 3 0 9
UNF 7 /1 6 "-2 0 -2 A
UNC 3 /8 "-1 6
WEGs p ro p e rty. Fo rb id d e n re p ro d u ctio n with o u t p re vio u s a u th o riza tio n .
Co lo r Mu n se ll N 1 ma tte b la ck
Pa in tin g p la n 2 0 7 N
Mo u n tin g F-1 /B1 4 R(D)


T1-BLU T2-WHT
T3-ORG T4-YEL
T5-BLK T6-GRY
T7-PNK T8-RED
T9-RED BRK
HIGH VOLTAGE
T4 T7 T1 T5 T8 T2 T6 T9 T3
Y L1 L2 L3
LOW VOLTAGE
T4 T7 T1 T5 T8 T2 T6 T9 T3
YY L1 L2 L3